

Improving customers' business performance

Zebra helps companies to identify, track and manage assets, transactions and people with on-demand specialty digital printing and automatic identification solutions.

Trusted all over the world, more than 90 percent of Fortune 500 companies use Zebra® printers, supplies, RFID products and software to increase productivity, improve quality, lower costs and deliver better customer service.

We're helping businesses to succeed in a wide range of markets, including:


- Transportation and logistics
- Manufacturing
- Retail
- Healthcare
- Post and parcel
- Government
- Hospitality
- Mobile workforce
- Education
- Banking

Specialty Printing Group

We offer specialty printing and auto-ID products and solutions including a wide range of bar code, card and kiosk printers, plus supplies and software products.

Zebra Enterprise Solutions

We are also delivering emerging technologies and widening our portfolio of track, locate and trace products and services. Learn more at www.zebra.com.



Quality, reliability and innovation

From traditional compliance labelling and security needs to business-improvement solutions that deliver impressive ROI, you can rely on Zebra.

Genuine Zebra™ supplies

Specifically developed for Zebra printers, our supplies are all made to a high standard.

- We supply labels, tags, wristbands, cards and ribbons
- All labels and ribbons are laboratory-tested for optimum performance
- Genuine Zebra supplies minimize wear and tear on printheads
- A wide range of materials supports the full Zebra printer range

ZipShipSM supplies

If you need supplies fast, the ZipShip program delivers. The specially-selected array from Zebra comprises the most popular media, at great prices, with shipment within the next business day. And we've made it easy for you to identify the right supplies for your application with our online ZipShip Selector Tool.

Custom supplies

We also manufacture custom or preprinted colored labels on a range of materials to meet customer requirements. These custom designs can also be branded with your logo.

Connectivity and printer management

Our advanced centralized printer-management tools and connectivity options, from ZebraLink™ Solutions to wireless capabilities, make integrating and maintaining remote Zebra printers in a distributed environment easy.

Product support

ZebraCare™ service agreements deliver quality, security and peace of mind. We're committed to offering customers the highest-quality customer care in the industry, delivering outstanding customer service and providing a global network of high-quality support.



Specifications subject to change without notice.

©2008 ZIH Corp. All product names and numbers are Zebra trademarks, and Zebra, the Zebra head graphic and ZPL are registered trademarks of ZIH Corp. All rights reserved. Bluetooth is a registered trademark of Bluetooth SIG, Inc. IrDA is a registered trademark of Infrared Data Association. All other trademarks are the property of their respective owners.



Corporate Headquarters

+1 800 423 0442

E-mail: inquiry4@zebra.com

Asia-Pacific Headquarters

+65 6858 0722

E-mail: apacchannelmarketing@zebra.com

EMEA Headquarters

+44 (0)1628 556000

E-mail: mseurope@zebra.com

Latin America Headquarters

+1 847 955 2283

E-mail: inquiry4@zebra.com

Other Locations

USA: California, Georgia, Rhode Island, Texas, Wisconsin **Europe:** France, Germany, Italy, Netherlands, Poland, Spain, Sweden **Asia Pacific:** Australia, China, Japan, South Korea **Latin America:** Argentina, Brazil, Florida (USA), Mexico **Africa/Middle East:** India, Russia, South Africa, United Arab Emirates

GSA#: GS-35F-0268N
P1008441 (11/08)

THE ZEBRA PRODUCT PORTFOLIO



Solutions that track, identify and manage in a fast-moving world



Stay in front with Zebra

In a fast-track world, Zebra's on-demand digital printing and automatic identification solutions help identify, track and locate assets, transactions and people. So you'll always be one step ahead.

High-Performance printers

Zebra's high-performance printers stand up to the most demanding needs, delivering the power and reliability required for your mission-critical applications.



Series	Media widths	Connectivity	Print resolution	Max. print speed
XIIIPlus™	4.5"/114 mm 5.51"/140 mm 7.1"/180 mm 8.8"/224 mm	☐ ¹ ☐ IOIOI ψ 802.11b/g ¹	203 dpi (all) 300 dpi (exc. 140XIIIPlus™) 600 dpi (110XIIIPlus™ only)	12"/305 mm per second ²

¹ Optional feature. ² Dependent upon model and resolution.

Midrange printers

Zebra's midrange industrial and commercial printers offer reliable and economical solutions for a wide range of applications and environments.



Series	Media widths	Connectivity	Print resolution	Max. print speed
105SL™	4.52"/115 mm	☐ ¹ ☐ IOIOI 802.11b/g ¹	203 dpi 300 dpi	8"/203 mm per second
Z Series®	4.5"/114 mm 7.0"/178 mm	☐ ¹ ☐ IOIOI ψ 802.11b/g ¹	203 dpi 300 dpi 600 dpi (4" only)	10"/254 mm per second 8"/203 mm per second 4"/102 mm per second
S4M™	4.5"/114 mm	☐ ¹ ☐ IOIOI ψ 802.11b/g ¹	203 dpi 300 dpi	6"/152 mm per second

¹ Optional feature.

Desktop printers

Where space is limited, Zebra desktop printers are a compact, affordable and easy-to-operate solution.



Series	Media widths	Connectivity	Print resolution	Print language
LP (direct-thermal only)	1.97"/50 mm 3.94"/100 mm	☐ ¹ ☐ IOIOI ψ	203 dpi	EPL™ or ZPL®
TLP (thermal-transfer)	1.97"/50 mm 3.94"/100 mm	☐ ¹ ☐ IOIOI ψ	203 dpi 300 dpi ²	EPL or ZPL
G-Series™ (direct-thermal or thermal-transfer)	3.94"/100 mm	☐ ¹ ☐ IOIOI ψ 802.11b/g ¹ Ⓡ ¹	203 dpi and 300 dpi (model-dependent)	EPL & ZPL (coexistence)

¹ Optional feature. ² Only available for TLP 3844-Z™ and TLP 3842™.

Connectivity key: Bluetooth® Ethernet IrDA® Infrared Parallel IOIOI Serial USB USB

Kiosk printers

Zebra's robust kiosk printers offer a range of features designed to provide fast, reliable and versatile printing performance across many applications.



Series	Media widths	Connectivity	Type	Print resolution	Max. print speed
Receipt printers	2.28"/58 mm 3.25"/82.5 mm 2.36"/60 mm 4.41"/112 mm 3.15"/80 mm 4.57"/116 mm		Embedded	203 dpi/300 dpi	Up to 6"/150 mm per second
Ticket printers	1.97"/50 mm 2.60"/66 mm 2.12"/54 mm 3.15"/80 mm 2.36"/60 mm 3.25"/82.5 mm		Embedded, desktop	203 dpi	1 ticket per second or 6"/150 mm per second

Mobile printers

Zebra's broad range of mobile printers, combined with wireless technology, enable on-the-spot label and receipt printing in almost any environment.



Series	Printer type	Media widths	Connectivity	Ruggedness (drop specification)	Weight Pounds (kg)	IP rating ²
EM 220™ (direct-thermal)	Receipt	2.28"/58.0 mm	¹	4/1.2 m	0.52 ³ (0.24)	N/A
QL Plus™ series (direct-thermal)	Receipts, tags and labels	2.12"/53.8 mm 3.12"/79.2 mm 4.12"/104.6 mm	 802.11b/g ¹ ¹	5/1.5 m	1.04/1.65/2.0 ³ (0.47/0.75 /0.91)	14 (54 with optional soft case)
RW™ series (direct-thermal)	Receipt and limited label	2.37"/60 mm 4.12"/104.6 mm	 802.11b/g ¹ ¹	6/1.8 m	1.45/2.0 ³ (0.66/0.91)	54
MZ™ series (direct-thermal)	Receipt	2.0"/50.8 mm 3.0"/76.2 mm	IrDA 802.11b/g ¹ ¹	4/1.2 m	0.70/0.75 ³ (0.32/0.34)	42
P4T™ (direct-thermal or thermal-transfer)	Receipts, tags and labels	4.12"/104.6 mm	 802.11b/g ¹ ¹	5/1.5 m	2.91 ³ (1.32)	14 (54 with optional soft case)

¹ Optional feature. ² The IP rating indicates the level of protection that the printer has against the ingress of solid objects (dust) and liquids (rain). The higher the value, the better the protection offered. ³ Weight indicated includes battery.

Wristband printers

The HC100™ wristband printer with integrated media cartridge offers a total solution for wristband printing.



Model	Wristband sizes	Connectivity	Colors available	Print resolution	Max. print speed
HC100	Adult Z-Band® Direct ³ : 1" x 11" (25 mm x 279 mm) Adult Z-Band QuickClip™ ⁴ : 1.1875" x 11" (30 mm x 279 mm) Child Z-Band Direct: 1" x 7" (25 mm x 178 mm) Child Z-Band QuickClip ⁴ : 1" x 7" (25 mm x 178 mm) Neonatal Z-Band Direct: 1" x 6" (25 mm x 152 mm)	¹ 802.11b/g ¹	All bands available in white. ³ Also available in Red, Blue, Yellow, Green, Orange, Pink, and Purple ⁴ White band with clip closure available in Red, Blue, Yellow, Green, Pink, and Purple	300 dpi	2"/51 mm per second

¹ Optional feature. ³ Also available in Red, Blue, Yellow, Green, Orange, Pink, and Purple. ⁴ White band with clip closure available in Red, Blue, Yellow, Green, Pink, and Purple.

Connectivity key: Bluetooth Ethernet IrDA Infrared Parallel IOIOI Serial USB

Print engines

OEM print engines are designed to be integrated into label-appliator machinery, providing reliable high-performance label printing for unattended applications.



Series	Media widths	Connectivity	Print resolution	Max. print speed
PAX4™ series	4.5"/115 mm 7.1"/180 mm	☐ ¹ ☐ IOIOI 802.11b/g ¹	203 dpi 300 dpi	12"/305 mm per second ²

¹ Optional feature. ² Dependent upon model and resolution.

RFID printer/encoders

Radio frequency identification (RFID) printer/encoders assist in the implementation of instant, measurable improvements in operating efficiency, accuracy and supply-chain visibility.



Model/Series	Media widths	Connectivity	HF/UHF	Print resolution	Max. print speed
R2844-Z™	4.25"/108 mm	☐ ³	HF	203 dpi	4"/102 mm per second
RX7™ series	4.5"/114 mm 7.0"/178 mm	☐ ¹ ☐ IOIOI ☐ ² 802.11b/g ¹	UHF	203 dpi 300 dpi	12"/305 mm per second
R110X/ HF™	4.5"/114 mm	☐ ¹ ☐ IOIOI ☐ ² 802.11b/g ¹	HF	203 dpi 300 dpi	10"/254 mm per second 8"/203 mm per second
R110PAX4™	4.5"/114 mm	☐ ¹ ☐ IOIOI 802.11b/g ¹	UHF	203 dpi 300 dpi	12"/305 mm per second 8"/203 mm per second
RZ™ series	4.5"/114 mm 7.0"/178 mm	☐ ¹ ☐ IOIOI ☐ ² 802.11b/g ¹	UHF	203 dpi 300 dpi	203 dpi: 10"/254 mm per second 300 dpi: 8"/203 mm per second
RP4T™	4.12"/104.6 mm	IOIOI ☐ ² 802.11b/g ¹ ☐ ¹	UHF	203 dpi	1.5"/38 mm per second

¹ Optional feature.

Card printers

Zebra card printers provide enhanced security and increased productivity. Card after card, Zebra printers deliver reliable performance and excellent print quality.



Series	Printer types	Color/monochrome	Print speed	Connectivity options	UHF Gen 2 RFID	Lamination	Card feeder
Value	Single- or double-sided	Mono and color	90/102/120/500 cards per hour	☐ ¹ ☐ ²	Magnetic stripe/ contact smart card/ contactless smart card	N/A	Single/low-capacity
Performance	Single- or double-sided	Mono and color	102/144/710 cards per hour	☐ ¹ ☐ ²	Magnetic stripe/ contact smart card/contactless smart card/ UHF Gen 2 (P330i & P430i models only)	N/A	High-capacity
Security	Double-sided	Mono and color	120 cards per hour	☐ ¹ ☐ ²	Magnetic stripe/ contact smart card/ linear bar code reader	Single- or double-sided	Mid-capacity

¹ Optional feature.

Connectivity key: Bluetooth Ethernet IrDA Infrared Parallel IOIOI Serial USB